	Application No.	Applicant(s)
Notice of Allowability	10/615 229	CDEVEDATH ET AL
	10/615,338 Examiner	GREVERATH ET AL.  Art Unit
		1740
	Zeinab E. EL-Arini	1746
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 05/19/05.		
2. The allowed claim(s) is/are <u>1-18.</u>		
3. X The drawings filed on are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•	•	
	·	
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Dat B), 7. ⊠ Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9. Other	



Application/Control Number:

10/615,338

**Art Unit: 1746** 

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard Roberts on 06/08/05.

The application has been amended as follows: Claims 19-21 have been cancelled.

2. The following is an examiner's statement of reasons for allowance: The prior art of record failed to teach a

**Art Unit: 1746** 

process for removing an aqueous slurry suspension, comprising a blast medium and coating substance residues, produced when cleaning surfaces having a corrosion protection coating on the surfaces, said process comprises: a) suctioning the aqueous slurry suspension comprising a blast medium and coating substance residues into a receiving tank by an air feed; b) diluting the suspension with water under vacuum in the receiving tank; c) feeding the diluted suspension by means of a pump into a settling tank, d) separating solid materials portion of the suspension from the water by sedimentation, and e) recycling the separated water, wherein the suctioning of the aqueous slurry suspension into the receiving tank is conducted with a vacuum, wherein a pressure ratio of

Art Unit: 1746

outside pressure to receiving tank pressure is 1:0.52 or more, whereby the aqueous suspension is diluted to a solid materials proportion of a maximum of about 10% by volume, and wherein the diluted suspension is fed continuously to the settling tank and overcomes a height differential of at least about 5 meters, as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1746

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zeinab E. EL-Arini whose telephone number is (571) 272-1301. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on (571) 272-1414. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1746

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Zeinab E. EL-Arini Primary Examiner Art Unit 1746

ZEE 06/08/05